

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Usig-glue

CAS No.: --
EG No.: --
INDEX No.: --
REACH No.: --

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Glue for Usig
Uses advised against: Other

1.3. Details of the supplier of the safety data sheet

Manufacturer

ERKODENT Erich Kopp GmbH
Siemensstrasse 3
--
D 72285 Pfalzgrafenweiler

Telephone: +49 7445 8501 0
Telefax: +49 7445 2092

Supplier (manufacturer/importer/only representative/downstream user/distributor)

ERKODENT Erich Kopp GmbH
Siemensstrasse 3
--
D 72285 Pfalzgrafenweiler

Telephone: +49 7445 8501 0
Telefax: +49 7445 2092

Information contact

ERKODENT Erich Kopp GmbH

Information telephone: +49 7445 8501 21
Information telefax: +49 7445 2092
E-mail (competent person): w.heuchert@erkodent.com
Website: www.erkodent.com

1.4. Emergency telephone number

ERKODENT Erich Kopp GmbH
Only available during office hours.

Telephone: +49 7445 8501 0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008:
Skin Sens. 1/1A/1B, H317

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



Signal word:	GHS07 Warning	
Hazard statements:	H317	May cause an allergic skin reaction.
Precautionary statements:	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P321	Specific treatment (see .? on this label).
	P333+313	If skin irritation or rash occurs: Get medical advice/attention.
	P363	Wash contaminated clothing before reuse.
	P501	Dispose of contents/container to .?.

Hazardous component(s) for labelling

1,4-Butandiol dimethacrylate; Dibenzoylperoxid; Dicyclohexylphthalat

Special labelling of particular preparations:

none

2.3. Other hazards

none

SECTION 3: Composition / information on ingredients

3.1. Substances

Mixtures

3.2. Mixtures

Mounting material for Usig

Composition/information on ingredients

Substance:	EC-no.:	CAS-No.:	INDEX no.:	REACH-no.:	Concentration:	Classification: EC 1272/2008 (CLP):
Dicyclohexylphthalat	201-545-9	84-61-7			2,5-10	Skin Sens. 1/1A/1B, H317; Repr. 2, H361; Aquatic Chronic 3, H412
Dibenzoylperoxid	202-327-6	94-36-0			<2,5	Self-react./Org. Perox. B, H241; Skin Sens. 1/1A/1B, H317; Eye Irrit. 2, H319
1,4-Butandiol dimethacrylate	218-218-1	2082-81-7			<2,5	Skin Sens. 1/1A/1B, H317

(Full text of H- and EUH-phrases: see section 16.)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off immediately all contaminated clothing.
Following inhalation:	Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.
Following skin contact:	After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.
After eye contact:	In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if problems persist.
After ingestion:	Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No special measures are necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide (CO₂), dry extinguishing powder, alcohol resistant foam.

Unsuitable extinguishing media: High power water jet.

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

General information

Co-ordinate fire-fighting measures to the fire surroundings.

Special protective equipment for firefighters:

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Disposal: see section 13 Provide adequate ventilation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Precautions against fire and explosion

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool place.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Storage class: 10-13

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit value

Substance:	CAS-No.:		Source :	Occupational exposure limit value:[ppm]	Occupational exposure limit value:[mg/m ³]	Limitation of exposure peaks:	Remark:
Dibenzoylperoxid	94-36-0	EN	TRGS 900		5 E	1 (l)	DFG

Substance with a common (EC) occupational exposure limit value

Substance:	CAS-No.:		Source :	Occupational exposure limit value:[ppm]	Occupational exposure limit value:[mg/m ³]	Limitation of exposure peaks:	Remark:

DNEL-/PNEC-values

DNEL value

Substance:	CAS-No.:	DNEL/DMEL
Dibenzoylperoxid	94-36-0	population oral long-term, systemic 2 mg/kg bw/day worker dermal long-term, systemic 13,3 mg/kg bw/day worker inhalative long-term, systemic 39 mg/m ³

PNEC Value

Substance:	CAS-No.:	PNEC
Dibenzoylperoxid	94-36-0	sediment, marine water 0,001 xxx(mg/kg sed dw) aquatic, freshwater 0,00002 xxx(mg/l (AF50)) sediment, freshwater 0,013 µg/kg dw aquatic, marine water 0,00002 xxx(mg/l (AF500)) sewage treatment plant 0,35 mg/l

Remark:

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls

Occupational exposure controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

General protection and hygiene measures

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

Personal protection equipment

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Tested protective gloves are to be worn: DIN-/EN-Norms: DIN EN 374

Eye/face protection

Eye protection: not required.

Body protection

Body protection: not required.

Environmental exposure controls

refer to chapter 7. No further action is necessary.

Consumer exposure controls

refer to chapter 7. No further action is necessary.

Exposure Scenario

none

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state: viscous
Colour: various
Odour: characteristically
Odour threshold: not determined

Safety relevant basis data

	Parameter	Value	Unit	Remark
pH:				not determined
Melting point/freezing point:	<	-20	°C	
Initial boiling point and boiling range:		151	°C	
Flash point:		201	°C	
Evaporation rate:				not determined
Flammability (solid, gas):				not applicable
Explosive properties:				not explosive.
Lower flammability or explosive limits:				not determined
Upper flammability or explosive limits:				not determined
Vapour pressure:	110 °C	1,3	°C	
Vapour density:				not determined
Relative density:				not determined
Density:				not determined
Solubility(ies):	:			not determined
Water solubility:				partially miscible
Fat solubility:				not determined
Partition coefficient: n-octanol/water:				not determined
Auto-ignition temperature:				not applicable
Decomposition temperature:				not determined
Viscosity:				not determined
Oxidising properties:				not determined
Solvent content:		0	%	

9.2. Other information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

none

10.4. Conditions to avoid

heat. UV-radiation/sunlight.

10.5. Incompatible materials

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met.

M-factor: --

Acute toxicity (dermal): --

Acute toxicity (oral): --

Acute toxicity (inhalative): --

Acute toxicity

Substance:	CAS-No.:	Toxicological information
Dibenzoylperoxid	94-36-0	LD50 oral (rat) > 5000 mg/kg
1,4-Butandiol dimethacrylate	2082-81-7	LD50 oral (rat) > 5000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself. Do not allow to enter into surface water or drains.

Ecotoxicity

Substance:	CAS-No.:	Ecotoxicity
Dibenzoylperoxid	94-36-0	EC50 Algae (72 h) 0,0711 mg/l LC50 fish (96 h) 0,0602 mg/l EC50 Daphnia (Daphnia magna) 48 h 0,11 mg/l

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal/Product:

Dispose of waste according to applicable legislation. Send to a physico-chemical treatment facility under observation of official regulations. Send to a hazardous waste incinerator facility under observation of official regulations. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

List of proposed waste codes/waste designations in accordance with EWC

Packing which cannot be properly cleaned must be disposed of.

Waste code product: --

Waste code packaging: --

SECTION 14: Transport information

14.1. UN number

UN No.: --

14.2. UN proper shipping name

ADR / RID

--

--

IMDG / ICAO-TI / IATA-DGR

--

--

14.3. Transport hazard class(es)

Hazard label(s):: --

Classification Code:

--

14.4. Packing group

Packing Group: --

14.5. Environmental hazards

Labelling environmentally hazardous substances

ADR/RID / IMDG-Code / ICAO-TI / IATA-DGR: yes / no

Marine Pollutant: yes / no

14.6. Special precautions for user

Land transport (ADR/RID)

Transport category: --

Special provisions: --

Tunnel restriction code: --

Limited quantity (LQ): --

Sea transport (IMDG)

EmS-No: --

Special provisions: --

Limited quantity (LQ): --

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Remark: No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register:

No information available.

Regulation (EC) No 1005/2009 on substance that deplete the ozone layer:

No information available.

Regulation (EC) No 648/2004 on detergents:

No information available.

Regulation (EC) No 850/2004 on persistent organic pollutants:

No information available.

Regulation (EU) No 649/2012 concerning the export and import of dangerous chemicals:
No information available.

Restrictions according to Title VIII of Regulation (EC) No 1907/2006:
No information available.

National regulations

Observe in addition any national regulations!

Restrictions of occupation

No information available.

Other regulations, restrictions and prohibition regulations

none

15.2. Chemical Safety Assessment

A chemical safety assessment has been carried out for this substance: --

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Relevant H- and EUH-phrases (Number and full text)

Hazard statements

H241 Heating may cause a fire or explosion.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
H412 Harmful to aquatic life with long lasting effects.

Training advice

none

Recommended restrictions of use

none

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Documentation of changes

none

Key literature references and sources for data

Data arise from reference works and literature.

Abbreviations and acronyms

AC: Artikelkategorie (Article Category)
ACGIH: Rat für Arbeitsschutz und Gefahrstoffe, Amerika (American Conference of Government Industrial Hygienists)
ADN: Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf Binnengewässern (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
ADR: Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße (Accord européen relatif transport des marchandises dangereuses par route)
AGW: Arbeitsplatzgrenzwert
AOX: Adsorbierbare organisch gebundene Halogene (Adsorbable Organic halogen compounds)
Bw: Körpergewicht (Body weight)
CMR: Stoffe klassifiziert als Krebserzeugend, Mutagen oder Reproduktionstoxisch (Carcinogenic, Mutagenic, toxic for Reproduction)
CSR: Stoffsicherheitsbericht (Chemical Safety Report)
DIN: Deutsches Institut für Normung / Deutsche Industrienorm
DNEL: Grenzwert, unterhalb dessen der Stoff keine Wirkung ausübt (Derived No Effect Level)
DPD: Zubereitungsrichtlinie / Richtlinie 1999-45-EC (Dangerous Preparations Directive)
DSD: Stoffrichtlinie / Richtlinie 67-548-EC (Dangerous Substances Directive)
DU: Nachgeschalteter Anwender (Downstream User)
EC50: Wirksame Konzentration 50% (Effective Concentration 50%)
ECHA: Europäische Chemikalienagentur
EN: Europäische Norm
EWC/EWL: Europäischer Abfallartenkatalog (European Waste Catalogue)
IATA: Verband für den internationalen Lufttransport (International Air Transport Association)
IBC: Großpackmittel (Intermediate Bulk Container)
ICAO: Internationale Zivilluftfahrt-Organisation (International Civil Aviation Organization)
IMDG Code: Gefahrgutvorschriften für den internationalen Seetransport (International Maritime Dangerous Goods Code)
IMO: Internationale Seeschiffahrts-Organisation (International Maritime Organization)
ISO: Internationale Normungsorganisation (International Standards Organisation)
LC50: Lethale (Tödliche) Konzentration 50%
LD50: Lethale (Tödliche) Dosis 50%
LEV: Lokale Absaugung (Local exhaust ventilation)
MAK: Maximale Arbeitsplatzkonzentration – DFG
n.a.: nicht anwendbar
n.b.: nicht bestimmt
OEL: Arbeitsplatzgrenzwert (Occupational Exposure Limit)
PBT: persistent, bioakkumulierbar, giftig (persistent, bioaccumulative, toxic)
PNEC: Abgeschätzte Nicht-Effekt-Konzentration (Predicted No Effect Concentration)
PPE/PSA: Persönliche Schutzausrüstung (Personal Protective Equipment)
REACH: Registrierung, Bewertung und Zulassung von Chemikalien (Registration, Evaluation and Authorization of Chemicals)
RID: Gefahrgutvorschriften für den Transport mit der Eisenbahn (Règlement International concernant le transport de marchandises dangereuses par chemin de fer)
STEL: Grenzwert für Kurzzeiteexposition (Short-term Exposure Limit)
SVHC: Stoff sehr hoher Besorgnis (Substance of Very High Concern)
TLV: Arbeitsplatzgrenzwert (Threshold Limit Value)
VOC: Flüchtige organische Kohlenwasserstoffe (Volatile Organic Compounds)
vPvB: sehr persistent, sehr bioakkumulierbar (very persistent, very bioaccumulative)